



By appointment to The Royal Danish Court

**morsø**

since 1853

---

INDOOR/OUTDOOR COLLECTION  
US/CA



By appointment to The Royal Danish Court

# morsø

since 1853



# CONTENTS

---

1400 . . . . .	4
2B CLASSIC & 2B STANDARD . . . . .	6
3100 SERIES . . . . .	8
5660 . . . . .	10
5660M . . . . .	12
6100 SERIES . . . . .	14
7110 . . . . .	16
ACCESSORIES . . . . .	18
ENVIRONMENTALLY FRIENDLY COMBUSTION . . . . .	20
MORSØ OUTDOOR . . . . .	23

---

## THINGS YOU MAY NOT KNOW ABOUT MORSØ

*The Morsø Company has been manufacturing cast iron stoves for over 160 years!*

*In 1915, Morsø was appointed "Purveyor to the Royal Danish Court": the title was changed in 1969 and became "By appointment to the Royal Danish Court".*

*Morsø stoves are sold over 40 different countries.*

*The "Ø" in the word Morsø means island, therefor Morsø means island of Mors!*

*The Morsø Company sponsors a public museum in its hometown of Nykøbing (pronounced "New-co-bing"), the museum celebrates the history of cast iron stove manufacturing on the island.*

*Every Morsø stove is hand-built by long serving craftsmen.*

*The outer joints in every Morsø cast iron stove are rope sealed! This helps to maintain a flexible airtight joint for years and years - other cast iron stove have fire-cemented joints that crack over time!*

*The internal castings in every Morsø stove are made in Chrome Iron. Chrome Iron has a higher heat resistance and is far more durable than cast iron!*

*1 in 20 Morsø stoves are removed from the production line and compression tested; thus ensuring the correct air tightness!*

*90% of the iron used in Morsø castings has been recycled!*

*The Squirrel emblem featured on the sides of the 1400 series has been adorning Morsø stoves since the early 1930s. The Squirrel emblem can be found on many other stove models in countries wher Morsø stoves are known by numbers and not by names!*

*36% of Morsø stove owners take between 2 & 3 months choosing their stove; 62% burn wood fuel only and 68% shoose Morsø because of the brand reputation for quality!*

*10 years guarantee if registration on [morsoe.com](http://morsoe.com). Warranty is granted according to Morsø Jernstøberi A/S' warranty conditions and valid as from date og purchase.*

# 1400 SERIES

---



 **Morsø 1410 B**  
Item-no.: 64142721



 **Morsø 1440 B**  
Item-no.: 64146221

## Radiant

Maximum Heat . . . . . 24,733 BTU/hr  
 Log size . . . . . 12"  
 Max. Area Heated . . . . . 1000 ft<sup>2</sup>  
 Firebox Dimensions . . 12¼" W x 10¾" D  
 Firebox volume/capacity . . . . 0.736 ft<sup>3</sup>  
 Outside air supply . . . . . Not Available  
 Gross Weight . . . . . 215 Lbs  
 Technical burn time (tested) . . 2H33M  
 Tested efficiency . . . . . 73%  
 Particulate emission . . . . . 180 gm/hr

### Basic Clearance

(using single wall pipe top vent)  
 Stove to side wall . . . . . 20"  
 Stove to rear wall . . . . . 16"  
 Stove to corner . . . . . 14"

### Basic Clearance

(using double wall pipe top vent)  
 Stove to side wall . . . . . 20"  
 Stove to rear wall . . . . . 6"  
 Stove to corner . . . . . 14"

Flue outlet center . . . . . 23 ½"

## Convection

Maximum Heat . . . . . 24,733 BTU/hr  
 Log size . . . . . 12"  
 Max. Area Heated . . . . . 1000 ft<sup>2</sup>  
 Firebox Dimensions . . 12¼" W x 10¾" D  
 Firebox volume/capacity . . . . 0.736 ft<sup>3</sup>  
 Outside air supply . . . . . Not Available  
 Gross Weight . . . . . 222 Lbs  
 Technical burn time (tested) . . 2H33M  
 Tested efficiency . . . . . 73%  
 Particulate emission . . . . . 180 gm/hr

### Basic Clearance

(using single wall pipe top vent)  
 Stove to side wall . . . . . 8"  
 Stove to rear wall . . . . . 10"  
 Stove to corner . . . . . 7"

### Basic Clearance

(using double wall pipe top vent)  
 Stove to side wall . . . . . 8"  
 Stove to rear wall . . . . . 6"  
 Stove to corner . . . . . 7"

Flue outlet center . . . . . 23 7/8"



A steady beating heart. **The Morsø 1400-series** is the quintessence of a charming stove. It represents what was the heart of many a home, what we know and remember from our childhood. The combustion technology of these classic stoves have since then been further developed and improved so that harmful particles and surplus gases are burnt off. That's why, today, the stoves fulfil the strictest environmental requirements and also bear the Nordic Swan Eco-label. Despite all improvements in technology there are some details which remain timeless and a sign of quality, so Morsø's characteristic squirrel can still be found on the sides. It also available with contemporary ribbed sides.

*Morsø 1440 B*

## 2B CLASSIC & 2B STANDARD

---



 **Morsø 2B Classic 2020**  
Item-no.: 64209521



 **Morsø 2B Standard 2020**  
Item-no.: 64209621

### Radiant

Maximum Heat . . . . . 31,988 BTU/hr  
 Log size . . . . . 18"  
 Max. Area Heated . . . . . 1200 ft<sup>2</sup>  
 Firebox Dimensions . . . . . 7" W x 21½" D  
 Firebox volume/capacity . . . . . 0.68 ft<sup>3</sup>  
 Gross Weight . . . . . 253 Lbs  
 Outside air supply . . . . . Not available  
 Technical burn time (tested) . . 6H17M  
 Tested efficiency . . . . . 80%  
 Particulate emission . . . . . 0,50 gm/hr

### Basic Clearance

(using single wall pipe top vent)  
 Stove to side wall . . . . . 26"  
 Stove to rear wall . . . . . 7"  
 Stove to corner . . . . . 22"

Flue outlet center . . . . . 11 7/8"

### Radiant

Maximum Heat . . . . . 25,299 BTU/hr  
 Log size . . . . . 18"  
 Max. Area Heated . . . . . 1200 ft<sup>2</sup>  
 Firebox Dimensions . . . . . 7" W x 21½" D  
 Firebox volume/capacity . . . . . 0.69 ft<sup>3</sup>  
 Gross Weight . . . . . 156 Lbs  
 Outside air supply . . . . . Not available  
 Technical burn time (tested) . . 7H42M  
 Tested efficiency . . . . . 80%  
 Particulate emission . . . . . 0,55 gm/hr

### Basic Clearance

(using single wall pipe top vent)  
 Stove to side wall . . . . . 26"  
 Stove to rear wall . . . . . 16"  
 Stove to corner . . . . . 16"

Flue outlet center . . . . . 5 3/8"



No past – no future. At the beginning of the 1930s, the sculptor, Constantin Sørensen, created this impressive radiant stove, featuring Morsø's well-known decoration of squirrel and oak leaves. Then, as today, the **Morsø 2B Classic 2020** is in great demand, and with its almost stately appearance, the stove is perfect for patrician and farm style homes. We have completely updated the combustion technology in the Morsø 2B Classic 2020, so that it now meets today's stringent environmental requirements. There's almost no better way to have a fire than with the Morsø 2B Classic 2020.

*Morsø 2B Classic 2020*

## 3100 SERIES

---



*Morsø 3112 B*  
Item-no.: 64310921



*Morsø 3142 B*  
Item-no.: 64315721

### Radiant

Maximum Heat . . . . . 28,000 BTU/hr  
 Log size . . . . . 12"  
 Max. Area Heated . . . . . 1000 ft<sup>2</sup>  
 Firebox Dimensions . . 13¼" W x 12½" D  
 Firebox volume/capacity . . . . . 0.85 ft<sup>3</sup>  
 Outside air supply . . . . . Available  
 Gross Weight . . . . . 245 Lbs  
 Mobile home approved . . . . . Yes  
 Technical burn time (tested) . . . 3H5M  
 Tested efficiency . . . . . 68%  
 Particulate emission . . . . . 1,90 grm/hr

### Basic Clearance

(using single wall pipe top vent)  
 Stove to side wall . . . . . 20"  
 Stove to rear wall . . . . . 12"  
 Stove to corner . . . . . 17"

### Basic Clearance

(using double wall pipe top vent)  
 Stove to side wall . . . . . 20"  
 Stove to rear wall . . . . . 8"  
 Stove to corner . . . . . 15"  
 Flue outlet center . . . . . 29 1/8"

### Convection

Maximum Heat . . . . . 28,000 BTU/hr  
 Log size . . . . . 15"  
 Max. Area Heated . . . . . 1200 ft<sup>2</sup>  
 Firebox Dimensions . . 13¼" W x 12½" D  
 Firebox volume/capacity . . . . . 0.85 ft<sup>3</sup>  
 Outside air supply . . . . . Available  
 Gross Weight . . . . . 279 Lbs  
 Mobile home approved . . . . . Yes  
 Technical burn time (tested) . . . 3H5M  
 Tested efficiency . . . . . 68%  
 Particulate emission . . . . . 1,90 grm/hr

### Basic Clearance

(using single wall pipe top vent)  
 Stove to side wall . . . . . 16"  
 Stove to rear wall . . . . . 9"  
 Stove to corner . . . . . 13"

### Basic Clearance

(using double wall pipe top vent)  
 Stove to side wall . . . . . 16"  
 Stove to rear wall . . . . . 7"  
 Stove to corner . . . . . 11"  
 Flue outlet center . . . . . 31"



**The Morsø 3100** series incorporates the best from the classic Morsø design, but takes advantage of the latest combustion principles. Efficient and environmentally friendly multi-fuel stoves **The 3112 B** is equipped with riddling grate and ashpan, making it easy to remove ash and clean the stove. It is manufactured using the latest combustion principles with tertiary air supply and meet the most stringent environmental requirements.

*Morsø 3142 B*

# 5660



 **Morsø 5660 B Standard**  
Item-no.: 64566721



 **Morsø 5660 B Blower**  
Item-no.: 64566821  
(Delivered without Blower.  
Tested with Fasco B22508)

### Convection

Maximum Heat . . . . . 43,499 BTU/hr  
Log size . . . . . 20"  
Max. Area Heated . . . . . 2200 ft<sup>2</sup>  
Firebox Dimensions . . . . . 20<sup>3</sup>/<sub>4</sub>" W x 11" D  
Fireplace opening . . . . . 28<sup>3</sup>/<sub>4</sub>" W x 19<sup>1</sup>/<sub>4</sub>" D x 21<sup>1</sup>/<sub>4</sub>" H  
Firebox volume/capacity . . . . . 1.15 ft<sup>3</sup>  
Gross Weight . . . . . 275 Lbs  
Outside air supply . . . . . Available  
Technical burn time (tested) . . . . . 5H29M  
Tested efficiency . . . . . 71%  
Particulate emission . . . . . 1,55 grm/hr

### Basic Clearance

Stove to side wall . . . . . 17"  
Stove to top . . . . . 28<sup>1</sup>/<sub>2</sub>"  
Stove to side trim . . . . . 8"  
Stove to mantle . . . . . 28<sup>1</sup>/<sub>2</sub>"

### Optional:

3-sided wide trim kit .40" (W) x 25.25" (H)  
4-sided wide trim kit .40" (W) x 33.75" (H)  
Morsø 5660 Zero-Clearance Enclosure  
67"H x 39<sup>3</sup>/<sub>4</sub>" W x 25<sup>1</sup>/<sub>2</sub>" D  
Optional 5660 Zero Clearance Enclosure

### Convection

Maximum Heat . . . . . 43,499 BTU/hr  
Log size . . . . . 20"  
Max. Area Heated . . . . . 2200 ft<sup>2</sup>  
Firebox Dimensions . . . . . 20<sup>3</sup>/<sub>4</sub>" W x 11" D  
Fireplace opening . . . . . 28<sup>3</sup>/<sub>4</sub>" W x 19<sup>1</sup>/<sub>4</sub>" D x 26" H  
Firebox volume/capacity . . . . . 1.15 ft<sup>3</sup>  
Outside air supply . . . . . Available  
Gross Weight . . . . . 383 Lbs  
Technical burn time (tested) . . . . . 5H29M  
Tested efficiency . . . . . 71%  
Particulate emission . . . . . 1,55 grm/hr

### Basic Clearance

Stove to side wall . . . . . 17"  
Stove to top . . . . . 26<sup>1</sup>/<sub>2</sub>"  
Stove to side trim . . . . . 8"  
Stove to mantle . . . . . 26<sup>1</sup>/<sub>2</sub>"

### Optional:

3-sided wide trim kit 38.5" (W) x 31" (H)  
3-sided wide trim kit 42.5" (W) x 33" (H)  
3-sided wide trim kit 46 3/8" (W) x 35" (H)  
**Morsø 5660 Zero-Clearance Enclosure:**  
67"H x 39<sup>3</sup>/<sub>4</sub>" W x 25<sup>1</sup>/<sub>2</sub>" D. Optional 5660 Zero  
Clearance Enclosure Blower kit. The fan is  
"high quality adjustable 110 CFM fan that is  
powerful and very quiet.



An original wood-burning stove & the joys of a crackling fire Morso is adding yet another great product to its extensive range of wood burning stoves, the **Morso 5660 B** insert.

Continuing the Morsø heritage, the 5660 B is manufactured in high grade cast iron; a strong, durable material particularly well-suited for freestanding stoves and especially wood burning inserts.

Creating comfort and cosiness in any home The Morso 5660 B insert is probably the cleanest and most modern appliance in its class. The natural, vivid texture of the cast iron surface makes for a rustic yet elegant appearance.

Relative to its size, the 5660 B insert has a large 'air-washed' window, that provides beautiful unbroken view of the dancing flames within. The simple design of the 5660 B insert will create comfort and cosiness in any home.

*Morsø 5660 B*



*Morsø 5600 B Module*



## 5600 B MODULE

### Convection

Maximum Heat	43,499 BTU/hr
Log size	20"
Max. Area Heated	2200 ft <sup>2</sup>
Firebox Dimensions	20 <sup>3</sup> / <sub>4</sub> " W x 11" D
Fireplace opening	28 <sup>3</sup> / <sub>4</sub> " W x 19 <sup>1</sup> / <sub>4</sub> " D x 21 <sup>1</sup> / <sub>4</sub> " H
Firebox volume/capacity	1.15 ft <sup>3</sup>
Gross Weight	.502 Lbs
Outside air supply	Available
Flue outlet center	29,93"
Technical burn time (tested)	5H29M

(Morsø 5660 B Module is available from October 2021)



## 6100 SERIES



 **Morsø 6140 B**  
Item-no.: 64615121



 **Morsø 6143 B**  
Item-no.: 64615021



 **Morsø 6148 B**  
Item-no.: 64614921



### Convection

Maximum Heat . . . . . 38,107 BTU/hr  
Test fuel load . . . . . 5.21 lbs  
Particulate Emission . . . . . 0,67 gm/hr  
Log size . . . . . 11"  
Max. Area Heated . . . . . 1000 ft<sup>2</sup>  
Firebox Dimensions . . . . . 13" W x 10" D  
Firebox volume/capacity . . . . . 0.505 ft<sup>3</sup>  
Outside air supply . . . . . Available  
Gross Weight . . . . . 258 - 285 Lbs  
Mobile home approved . . . . . Yes  
Technical burn time (tested) . . . 2H57M  
Tested efficiency . . . . . 77%

### Basic Clearance

(using single wall pipe top vent)

Stove to side wall . . . . . 10"  
Stove to rear wall . . . . . 3"  
Stove to corner . . . . . 5"

### Basic Clearance

(using double wall pipe top vent)

Stove to side wall . . . . . 10"  
Stove to rear wall . . . . . 2"  
Stove to corner . . . . . 5"  
Flue outlet center . . . . . 22 7/8"

### Convection

Maximum Heat . . . . . 38,107 BTU/hr  
Test fuel load . . . . . 5.21 lbs  
Particulate Emission . . . . . 0,67 gm/hr  
Log size . . . . . 11"  
Max. Area Heated . . . . . 1000 ft<sup>2</sup>  
Firebox Dimensions . . . . . 13" W x 10" D  
Firebox volume/capacity . . . . . 0.505 ft<sup>3</sup>  
Outside air supply . . . . . Available  
Gross Weight . . . . . 258 - 285 Lbs  
Mobile home approved . . . . . Yes  
Technical burn time (tested) . . . 2H57M  
Tested efficiency . . . . . 77%

### Basic Clearance

(using single wall pipe top vent)

Stove to side wall . . . . . 10"  
Stove to rear wall . . . . . 3"  
Stove to corner . . . . . 5"

### Basic Clearance

(using double wall pipe top vent)

Stove to side wall . . . . . 10"  
Stove to rear wall . . . . . 2"  
Stove to corner . . . . . 5"  
Flue outlet center . . . . . 30 5/8"

### Convection

Maximum Heat . . . . . 38,107 BTU/hr  
Test fuel load . . . . . 5.21 lbs  
Particulate Emission . . . . . 0,67 gm/hr  
Log size . . . . . 11"  
Max. Area Heated . . . . . 1000 ft<sup>2</sup>  
Firebox Dimensions . . . . . 13" W x 10" D  
Firebox volume/capacity . . . . . 0.505 ft<sup>3</sup>  
Outside air supply . . . . . Available  
Gross Weight . . . . . 258 - 285 Lbs  
Mobile home approved . . . . . Yes  
Technical burn time (tested) . . . 2H57M  
Tested efficiency . . . . . 77%

### Basic Clearance

(using single wall pipe top vent)

Stove to side wall . . . . . 10"  
Stove to rear wall . . . . . 3"  
Stove to corner . . . . . 5"

### Basic Clearance

(using double wall pipe top vent)

Stove to side wall . . . . . 10"  
Stove to rear wall . . . . . 2"  
Stove to corner . . . . . 5"  
Flue outlet center . . . . . 30 5/8"



**The Morsø 6100-series** fans the flames. The stove's unique combustion system helps ensure a higher temperature in the combustion chamber, which means it burns off the flue gases. This provides you with a cleaner and more environmentally-friendly combustion and a higher level of efficiency, guaranteeing you good fuel economy. Furthermore, the elegantly designed glass door and hidden mountings provide a good view of the fire and flames.

*Morsø 6140 B*

# 7110

---



*Morsø 7110 B*

Item-no.: 64710221



---

## **Radiant**

Maximum Heat . . . . . 36,544 BTU/hr  
Log size . . . . . 16.5"  
Max. Area Heated . . . . . 1300 ft<sup>2</sup>  
Firebox Dimensions . . . . . 17½" W x 9" D  
Firebox volume/capacity . . . . . 0.830 ft<sup>3</sup>  
Outside air supply . . . . . Available  
Gross Weight . . . . . 309 Lbs  
Mobile home approved . . . . . Yes  
Technical burn time (tested) . . . . . 4H2M  
Tested efficiency . . . . . 75%  
Particulate emission . . . . . 1,1 grm/hr

## **Basic Clearance**

(using single wall pipe top vent)  
Stove to side wall . . . . . 16"  
Stove to rear wall . . . . . 6½"  
Stove to corner . . . . . 8½"  
  
Flue outlet center . . . . . 21 2/8"



The **Morsø 7110 B** wood stove , like all Morsø cast iron stoves, has a very large glass panel without any interfering bars and a superior air wash system to keep the glass clean for an unobstructed view of the fire. Designed with Scandinavian simplicity, the Morsø 7110 B with sharp edges and straight lines are combined with classical American elements such as the horizontal design and distinct profiles in the top and bottom plates. Whether you have a contemporary-designed home or a classical one, the Morsø 7110 B will seamlessly blend in to make your home cozy and warm.

*Morsø 7110 B*



NEW  
62993300  
Morsø Adrian Fire Tools



62917021  
Morsø Loop Fire Tool Set



62900221  
Morsø Classic Fire Tools



62916421  
Morsø Curva  
Poker

62916521  
Morsø Curva Fire Tools



62917121  
Morsø Complete Fire Tools

62905700  
Morsø Ash & Storage Bucket



61753201  
Morsø Cast Iron Trivet with N.A.C. Logo

61753301  
Morsø Cast Iron Trivet with squirrel



Morsø Assembly & Maintenance



62917421  
Morsø Ellipse Fire Tools



Morsø hearth plates



62920521  
Morsø Firewood Box



62912200  
Morsø Canvas Wood Carrier



62906821  
Morsø Child Guard 110 x 110 x 70 cm



62901200  
Morsø Flue Gas Thermometer



62929900  
Morsø Moisture Meter



62917221  
Morsø Dustpan & Broom



Right: 62900700 / Left: 62900800  
Morsø Leather Glove left/right



62853479  
Morsø Cast Iron Humidifier 2,0 L


61853079  
Morsø Cast Iron Humidifier 4,5 L



62900421  
Morsø Firewood Bucket 32 x 40 cm

62920421  
Morsø Firewood Bucket 34 x 45 cm

# ENVIRONMENTALLY FRIENDLY COMBUSTION



The cross-section of the stove shown above outlines the stove's combustion and convection airflow system. Cold air is drawn into the stove and heated as its passes through the cast iron channels (the heated air washes the glass keeping it clean, clear and free from soot). The hot air also provides perfectly heated combustion air (in addition the heated tertiary air aids secondary combustion of any smoke and gasses, increasing efficiency and reducing the environmental impact).



We're hot for fire. One of our most important areas of expertise is the production of environmentally-aware stoves, and we happily describe ourselves as experts in combustion technology.





By appointment to The Royal Danish Court

**morsø**

since 1853

---

OUTDOOR COLLECTION

# WELCOME TO THE WORLD OUTDOORS

---

Since the early years, innovation has been a key driver to everyone at the Morsø Foundry. In turn, several ground breaking products and building principles has seen the light of day on the beautiful Danish island of Mors. In common with other iron foundries Morsø created the principle of convection, that on the brink of the 1900's set an all new standard for the effectiveness of heating your house using a wood burning stove. Years later, during the 1950's, when central heating paved it's way into most homes, Morsø launched the open fireplace as another new way of bringing warmth and cosy comfort to the Danes. With the launch of the first cast iron BBQ in Denmark, we were

aiming to let the Danes enjoy their long summer nights in the garden, with great food and warmth. Today, as well as back then, summer nights could be anything from endless, calm and warm, to the ones when time or circumstance is not suited for the big setup, even if the desire for cooking great food outdoors is still there. For that particular reason, the following pages will present the new Morsø Forno Multi, which is the only product on the market that can be fired with either gas or firewood. This along with being a fantastic pizza oven, BBQ and outdoor stove, will open up a world of possibilities to turn even more summer nights into something very special.

---

WELCOME TO A WORLD OF WARMTH, GREAT FOOD  
AND INNOVATIVE CRAFTSMANSHIP.



**MORSØ 62989031**  
MORSØ FORNO  
Ø70 x H60 cm / 96 kg



**MORSØ 62989900**  
MORSØ FORNO GAS Medio  
Ø55 x H42 cm / 17,8 kg



**MORSØ 62991300**  
MORSØ TAVOLO  
One-size table for Forno Gas Family  
W56,5 x H72,6 x L109 cm / 10,5 kg



**MORSØ 62988331**  
MORSØ GRILL FORNO  
Ø55 x H109 cm / 50 kg



**MORSØ 62988631**  
MORSØ GRILL '17  
Ø60 x W74 x Htable 81 x Hgrill 95 cm / 76 kg



**MORSØ 62984300**  
MORSØ FORNO TERRA TABLE  
W60 x H80 x L60 cm / 40 kg



**MORSØ 62982400**  
MORSØ FORNO GARDEN TABLE  
W60 x H80 x L120 cm / 60 kg



**MORSØ 62983231**  
MORSØ KAMINO  
Ø50 x H180 cm / 77 kg



**MORSØ 62988531**  
MORSØ JIKO  
Ø32x H21,5 cm / 13 kg



**MORSØ 62981131**  
MORSØ IGNIS  
Ø45 x H32 cm / 18 kg



**MORSØ 64153101**  
MORSØ GRILL '71 TABLE  
Ø33 x H31 cm / 12,75 kg



**MORSØ 64153001**  
MORSØ GRILL '71  
Ø33 x H39/59/67 cm / 13 kg



**MORSØ 62988831**  
MORSØ FIRE POT  
H55,7 x Ø 44,9/25,6 cm / 14 kg



**MORSØ 62987500**  
MORSØ VETRO - PIZZA & FRYING PLATE  
Ø34 cm / 1,0 kg



**MORSØ 62980800**  
MORSØ BEL  
Ø15 x H22 cm / 2,2 kg



**MORSØ 62992200**  
MORSØ CHURRASCO  
W55 x H9 x L35-55 cm



**MORSØ 62994000**  
MORSØ FORNO & TERRA COVER



**MORSØ 62993900**  
MORSØ FORNO & GARDEN TABLE COVER



**MORSØ 57907000**  
MORSØ GAS MEDIO & TAVOLO COVER



**MORSØ 62981200**  
MORSØ FORNO COVER  
0,42 kg



**MORSØ 62989400**  
MORSØ GRILL '17 COVER  
0,9 kg



**MORSØ 62985200**  
MORSØ KAMINO COVER  
0,47 kg



**MORSØ 57907400**  
MORSØ GAS MEDIO & TERRA COVER



**MORSØ 62991400**  
MORSØ FORNO GAS MEDIO COVER  
MORSØ GRILL FORNO COVER - 0,35 kg



**MORSØ 62994100**  
MORSØ GARDEN TABLE COVER



**MORSØ 62991900**  
MORSØ GAS-CYLINDER COVER  
0,35 kg



**MORSØ 62989500**  
MORSØ JIKO COVER  
0,11 kg



**MORSØ 62906400**  
MAINTENANCE KIT FOR FORNO



**MORSØ 62993500**  
MAINTENANCE KIT FOR FORNO GAS



By appointment to The Royal Danish Court

**morsø**

since 1853



**MORSØ 92745500**  
FARO LANTERN  
H30 cm



**MORSØ 62993100**  
FIRE DIVIDER  
H10 x B40 x D10 cm / 1 kg



**MORSØ 62993700**  
MORSØ TUSCAN GRILL  
H10 x Ø31,8/37,6 cm / 3 kg



**MORSØ 92745600**  
FARO LANTERN  
H55 cm



**MORSØ 62994300**  
BBQ SMOKER BOX  
H4 x Ø9 cm



**MORSØ 62993600**  
MORSØ TUSCAN PLANCHA  
H10 x Ø32,5/37,6 cm / 4 kg



**MORSØ 92745700**  
FARO LANTERN  
H80 cm



**MORSØ 62994500**  
BRUSH AND SCRAPER KIT



**MORSØ 62988431**  
SMOKEKEEPER  
Ø18 cm - Ø7 cm - H3 cm / 0,59 kg



**MORSØ 62900800**  
MORSØ FIRE AND GRILL GLOVE, LEFT



**MORSØ 62900700**  
MORSØ FIRE AND GRILL GLOVE, RIGHT



**MORSØ 62987800**  
SHELF / GARDEN TABLE  
W55 x H4 x L118 cm / 16 kg



**MORSØ 62983100**  
MORSØ FORNO DOOR  
W45 x H22 x D6 cm / 1,6 kg



**MORSØ 62987900**  
SHELF / TERRA TABLE  
W55 x H4 x L58 cm / 7 kg



**MORSØ 62989100**  
MORSØ GRILL FORNO DOOR  
L37 x H23 cm cm / 1,6 kg



**MORSØ 62983500**  
MORSØ FORNO FLUE PIPE  
L75 cm x Ø12,4 cm / 3,37 kg



**MORSØ 62980500**  
MORSØ ASH SCRAPER  
W12,5 x H0,08 x L50,5 cm / 0,6 kg



**MORSØ 62987200**  
MORSØ PEEL - ALU  
L72 x W30 cm / 0,48 kg




**MORSØ 62987600**  
MORSØ AXE  
L52 x W13 cm / 2,4 kg



**MORSØ 62987700**  
MORSØ PIZZA/HERBE CUTTER  
L28 x W9,5 cm / 0,25 kg



**MORSØ 62983701**  
CAST IRON GRILL GRATE FOR GRILL FORNO  
Ø32 cm / 2,4 kg



**MORSØ 62982000**  
GRATE FOR MORSØ IGNIS  
Ø44 x H1 cm / 1,1 kg



**MORSØ 62980600**  
MORSØ FIRE TONGS  
W15 x H3 x L52 cm / 0,5 kg



**MORSØ 62984000**  
MORSØ GRILL PLATES - 2 PCS.  
L30 x W20 cm / 1,8 kg



**MORSØ 62984401**  
MORSØ FRYING DISH  
Ø32 cm / 3,1 kg

By appointment to The Royal Danish Court  
**morsø**  
since 1853



**MORSØ 92743800**  
CULINA STEAK FORK / 2 pcs.



**MORSØ 62989300**  
MORSØ GASLIGHTER



**MORSØ 90010500**  
CULINA PIZZA KNIFE / 2 pcs.



**MORSØ 62984100**  
MORSØ HANDLE FOR GRILL GRATE/GRILL PLATES  
L30 cm - 0,27 kg



**MORSØ 62990600**  
MORSØ CULINA BBQ FORK  
L44 cm



**MORSØ 62990700**  
MORSØ CULINA BBQ TURNER  
L44 cm



**MORSØ 62990800**  
MORSØ CULINA BBQ TONGS  
L45 cm



**MORSØ 62354301**  
NAC SKILLET  
Ø28 cm



**MORSØ 62354401**  
NAC GRILL PAN  
Ø28 cm



**MORSØ 62357701**  
NAC MULTI COCOTTE  
with skillet - Ø28 cm - 4,6 litre



**MORSØ 62357201**  
NAC PAN WITH LID  
Ø20 cm - 1,7 litre



**MORSØ 62353601**  
NAC PAN  
Ø28 cm



**MORSØ 62357501**  
NAC SAUTER PAN WITH LID  
Ø25 cm - 2,2 litre

---

### ROYAL WARMTH

At the turn of the century, Morsø began supplying heating systems to churches, schools and a number of public buildings, including the state railways and various ministries. And at the start of the 1900s, the popular imperial-style stoves found their way into the royal apartments at Amalienborg. In 1915, various stoves had already been supplied to the palaces at Amalienborg and to several other royal residences, and the company was therefore bestowed the prestigious title of Purveyor to His Majesty the King by King Christian X. Later, in 1969, the title was changed to Purveyor to the Royal Danish Court.

---



By appointment to The Royal Danish Court

**morsø**

since 1853

---

morsoe.com · #morsomoments