



HEARTH PRODUCTS



Designed to heat. Built to Last.

For over 30 years, unsurpassed quality and craftsmanship have made us an industry leader in innovative heating systems. Design, functionality, and efficiency merge to create exceptional products that will exceed all expectations. Whether time-honored traditional or bold and modern, our dynamic range of products will compliment any home décor. With a complete line of fireplace inserts, zero-clearance fireplaces, and freestanding stoves, we have the perfect solution for your heating requirements. We won't just meet your expectations; we'll exceed them...





The Westport Steel Gas Stove is an affordable solution for a midsize to large living space. It offers the performance of the original Westport Cast Iron Gas Stove with a more modern design and steel outer construction. It's available in both Nova or IPI and can be vented top or rear, and is also compatible with a B vent.

Design Features

- Remote thermostat compatible
- Steel construction
- Ceramic log set
- Quick release glass door system
- Top vent / rear vent / B vent
- ClearView Safety Screen
- Optional 150 CFM fan
- Nova and IPI editions

Stove Specifications

I				
BTU Maximum Input - NG	30,000 BTU			
Turn Down*	up to 50%			
Heating Area	1,700 ft ²			
P4 Efficiency	64.9%			
Glass Size	336 in ²			
Stove Dimensions	HEIGHT 27½"	WIDTH 261/4"	DEPTH 19½"	

^{*} Turn down is based on Nova valve



Formed steel outer construction



High definition log set



Easy access controls



As our entry level gas stove, the S20 is the perfect solution for a smaller to mid-size living room. Its modern design blends well with a variety of décor, and its small footprint offers greater versatility in placement. It's available in IPI and can be vented top or rear.

Design Features

- Field conversion kit NG to LP
- Thermostat or remote compatible
- Ceramic log set
- Charcoal fluted liner
- Top vent / rear vent convertible
- Heavy duty heat exchanger
- Easy access controls
- 150 CFM variable speed fan
- ClearView Safety Screen
- IPI Valve

Stove Specifications

BTU Maximum Input - NG	20,000 BTU				
Turn Down*	up to 33%				
Heating Area	1,100 ft ²				
P4 Efficiency	74.5%				
Glass Size	346 in ²				
Stove Dimensions	HEIGHT 33½"	WIDTH 24½"	DEPTH 183/8"		



High definition log set



Steel fireplace grate



Modern steel construction



Introducing the Enviro S50, the most elegant addition to our freestanding lineup. This sleek and modern design sports 180° of curved glass with a 496 square inch viewing area to show off its ultra high definition log set. Capable of both rear and top venting, the S50 boasts an impressive 30,000 BTU output.

Design Features

- Field conversion kit NG to LP
- Top vent / rear vent convertible
- Nova Valve
- Optional 70 CFM Circulation Fan available

Options

Color Options:

- Painted Metallic Black
- Powder Coated Carrara White

- Media Options:
 Ultra High Definition Traditional Log Set
- Ultra High Definition Birch Log Set
- River Rock & Twig Set
- Glass Media

Liner Options:


- Steel Painted Liner (Included)
- Black Glass Liner
- Fluted Liner

Pedestal Options:

- Pole Pedestal - Wood Pedestal

Stove Specifications

BTU Maximum Input - NG	3	0,000 BT	U	
Turn Down*	up to 50%			
Heating Area	1,500 ft ²			
P4 Efficiency	68%			
Glass Size	18½" W	x 19½" H	(567 in²)	
Stove Dimensions	HEIGHT 46"†	WIDTH 20"	DEPTH 20"	





Glass Burner



Wood Pedestal



Modern Curved Design





The Westley's European cast iron outer construction creates a traditional aesthetic with modern accents. What really sets the Westley apart is its 180° viewing angle giving plenty of exposure to the high definition log set and stainless steel burner. The Westley is available in both a matte black finish or an antique bronze.

Design Features

- European made castings
- 180° viewing angle
- Heavy duty heat exchanger
- B-vent compatible (IPI)
- 130 CFM variable speed fan
- ClearView Safety Screen
- Ultra HD log set
- True to life flame presentation
- Multiple Finishes:
- Painted Black
- Antique Bronze

Stove Specifications

BTU Maximum Input - NG	29,000 BTU			
Turn Down	33%			
Heating Area	1,500 ft ²			
P4 Efficiency	67%			
Glass Size	525 in ²			
Stove Dimensions	HEIGHT 27½"	WIDTH 263/4"	DEPTH 19 %16"	



8 Piece ultra high definition log set



European castings - Painted Black



Flame visible from three sides





The Westport Cast Iron is one of our most popular freestanding gas stoves. Its traditional design and cast iron outer construction provide a classy appearance. The Westport Cast Iron Gas Stove is available in a painted black matte finish or an antique chestnut porcelain enameled finish. It can be vented top, rear, and is also compatible with a B vent.

Design Features

- Remote thermostat compatible
- Cast iron outer construction
- Ceramic log set
- Quick release glass door system
- Top vent / rear vent / B vent
- Safety screen
- Optional 150 CFM fan
- Nova and IPI editions
- Multiple Finishes:
- Painted Black
- Enameled Antique Chestnut

Stove Specifications

BTU Maximum Input - NG	30,000 BTU			
Turn Down*	up to 50%			
Heating Area	1,700 ft ²			
P4 Efficiency	64.9%			
Glass Size	336 in ²			
Stove Dimensions	HEIGHT 271/2"	WIDTH 253/4"	DEPTH 19½"	

^{*} Turn down is based on Nova valve



Cast iron doors



High definition log set



11

Enameled antique chestnut finish



The S40 Freestanding Gas Stove offers a maximum BTU output of 40,000 making it excellent at heating large living spaces. It has a modern design and a 5/16" steep plate top. Instead of a typical burner tube layout, the S40 uses a ceramic log burner that blends in with the rest of the log set to create a more realistic appearance.

Design Features

- Heavy duty heat exchanger
- Thermostat or remote compatible
- Ceramic log set and burner
- 5/16" steel plate top
- Ceramic charcoal fluted liner
- 150 CFM variable speed fan
- Optional B vent adaptor
- ClearView Safety Screen
- IPI

Stove Specifications

BTU Maximum Input - NG	40,000 BTU			
Turn Down	up to 33%			
Heating Area	2,000 ft ²			
P4 Efficiency	65.9%			
Glass Size	355 in ²			
Stove Dimensions	HEIGHT 285%"	WIDTH 261/8"	DEPTH 22 ⁷ /16"	



Modern design



Ceramic burner



Heavy duty heat exchanger





The Berkeley's European cast iron outer construction creates a traditional esthetic with modern accents. What really sets the Berkeley apart is its 180° viewing angle, providing plenty of exposure to the high definition log set and ceramic burner. The Berkeley is available in both a matte black finish and enameled antique chestnut.

Design Features

- European-made castings
- 180° viewing angle
- IPI edition
- Heavy duty heat exchanger
- Ceramic log set and burner
- 150 CFM variable speed fan
- ClearView Safety Screen
- Two Stage Burner
- Multiple Finishes:– Painted Black
- Painted BlackEnameled Antique Chestnut

Stove Specifications

BTU Maximum Input - NG	40,000 BTU			
Turn Down*	up to 67.5%			
Heating Area	2,000 ft ²			
P4 Efficiency	66.6%			
Glass Size	724 in²			
Stove Dimensions	HEIGHT 30¼"	WIDTH 29 ⁵ /16"	DEPTH 22 ¹⁵ / ₁₆ "	

^{*} Turn down is based on IPI valve with front burner being turned off.



Flame visible from three sides



9 Piece ultra high definition log set



European castings - enameled antique chestnut

Gas Stove Specifications

Performance	S20 SMALL GAS STOVE	Westley CAST IRON GAS STOVE	S50 GAS STOVE	Westport CAST IRON / STEEL STOVE	S40 LARGE GAS STOVE	Berkeley CAST IRON GAS STOVE
BTU Maximum Input - NG	20,000 BTU	29,000 BTU	30,000 BTU	30,000 BTU	40,000 BTU	40,000 BTU
Turn Down Nova / IPI	33%	33%	50% / 33%	50% / 33%	33%	67.5%*
Construction	Steel	Cast Iron	-	Cast Iron / Steel	Steel	Cast Iron
Nova	N/A	N/A	Standard	Available	N/A	N/A
IPI	Standard	Standard	N/A	Available	Standard	Standard
Efficiency - Steady State**	76.2%	68.9%	-	71.3%	70.7%	69%
Efficiency - FE rating †	74.5%	67%	68%	64.9%	65.9%	66.6%
Glass Size	19¾" x 17½", 346 in²	525 in ² (Front + Sides)	18½" x 19½", 567 in²	16½" x 20³/s", 336 in²	161/8" x 21", 355 in ²	724 in ² (Front + Sides)
Finish	– Painted Black	– Painted Black – Antique Bronze	- Painted Black - PC Carrara White	– Painted Black – Enameled Antique Chestnut	– Painted Black	Painted BlackEnameled Antique Chestnut

Installation	S20 SMALL GAS STOVE	Westley CAST IRON GAS STOVE	S50 GAS STOVE	Westport CAST IRON / STEEL STOVE	S40 Large gas stove	Berkeley CAST IRON GAS STOVE
Dimensions	HEIGHT WIDTH DEPTH 33½" 24½" 18¾"	HEIGHT WIDTH DEPTH 271/2" 263/4" 199/16"	HEIGHT WIDTH DEPTH 46" 20" 20"	HEIGHT WIDTH DEPTH 27½" 25¾" 19½" 27½" 26¼" 19½"	HEIGHT WIDTH DEPTH 28 %" 26 1/8" 22 7/16"	HEIGHT WIDTH DEPTH 301/4" 295/16" 2215/16"
LP Conversion Kit (SP)	N/A	N/A	Included	Included	N/A	N/A
LP Conversion Kit (IPI)	Optional	Optional	Optional	Optional	N/A	Optional
Venting (Direct Vent)	$4'' \times 6^{5/8}''$	4" x 6 ⁵ /8"	4" x 6 ⁵ /8"	4" x 6 ⁵ /8"	4" x 6 ⁵ /8"	4" x 6 ⁵ /8"
Venting Compatibility	Top / Rear	Тор	Top / Rear	Top / Rear	Тор	Тор
B Vent Compatibility	N/A	Yes	-	Yes	Yes	N/A
Weight	225 lbs	190 lbs	150 lbs (Without Pedestal)	227 lbs / 117 lbs	275 lbs	295 lbs
Convection Fan	Included	Included	Included	Optional	Included	Included

^{*} Berkeley IPI turn down based on front burner being turned off.

Gas Stove Specifications

Clearance to Combustibles	S20 SMALL GAS STOVE	S50 GAS STOVE	Westley CAST IRON GAS STOVE	Westport CAST IRON / STEEL STOVE	S40 LARGE GAS STOVE	Berkeley CAST IRON GAS STOVE
Minimum distance to the stove's sides	8"	12"	10 1/4"	11"	113/8"	12"
Minimum distance behind the stove	4"	3″	5″	2.5"	5"	5"
Minimum alcove height to top of stove	12"	16"	35"	321/2"	285/8"	27½"
Minimum distance corner to wall	3″	N/A	5″	2.5″	7.5"	7.5"
Center of vent to sidewall (at minimum corner)	15"	22"	155/8″	121/8"	17¾"	17¾"

^{**} Steady state rating based on conventional venting configuration.

[†] Based on the measured P.4-15 rating of the IPI model.

Specifications and measurements are subject to change. Please refer to owners manual for the most up to date and detailed product information.

The best way to visualize your dream fireplace at home is with the Enviro App!





















