

LE800


A refined, minimalist electric fireplace – a subtle yet striking addition made for contemporary interiors and cozy spaces.

INBUILT HOLOGRAPHIC ELECTRIC FIREPLACE



Unmatched Realism

Holographic technology combined with precision flame-mapping projects dynamic flames, sparks, and flickers onto lifelike logs and embers - recreating the depth, movement, and authenticity of a real wood-burning fire.



Installation Flexibility

No flues, vents, or consent required – offering complete freedom to install anywhere and integrate seamlessly into any surround material or design.



Effortless Ambiance

This fireplace delivers warmth when needed, or ambiance with flame-only mode – giving you year-round flexibility and effortless control.

LE800

FIRE BY **escea.**

SPECIFICATIONS

HEAT OUTPUT	51000BTU/hr or 10200BTU/hr
POWER CONSUMPTION	1.5kW @10A 110V ~ 60Hz, or 3.0kW @15A 230V ~ 60Hz
OPERATION	Thermostatic Bluetooth® remote control
APPLIANCE WEIGHT	132lbs
ELECTRICAL CONNECTION ACCESS POINT	Bottom RH side
CLEARANCE TO COMBUSTIBLES	Zero clearance from appliance surfaces
SERVICE ACCESS HATCH	Not Required
CAVITY WALL VENTING	Not Required
CERTIFICATION/COMPLIANCE	UL 2021 and CAN/CSA 60335.2.30
DATA BADGE	Inside appliance, upper left corner

DIMENSIONS

FIREPLACE SIZE	34" w x 21 1/2" h x 17 1/4" d
CAVITY OPENING	34 3/4" w x 21 7/8" h x 17 3/4" d
VIEWING AREA	31 3/4" w x 16" h
TV CLEARANCE	4" above viewing area


INSTALLATION

The LE800 is an indoor holographic projection fireplace designed to be built into a false cavity or chase - from standard building materials.


The appliance is to be installed prior to any wall boards or finishes.

For optimal viewing, the LE800 should be installed 12" off the floor.

Wall boards or finishes can be of any thickness, and any standard building material may be used. If finishes extend beyond the 1/2" viewing area trim, consider the visual impact of the material edge.



LE SERIES - ALL MODELS



Further information and technical documents available via the QR code or escea.com/le-series



LE1000


A sophisticated linear statement with wider viewing angles – ideal for spacious living areas and feature walls where the fire becomes the focus.

INBUILT HOLOGRAPHIC ELECTRIC FIREPLACE



Unmatched Realism

Holographic technology combined with precision flame-mapping projects dynamic flames, sparks, and flickers onto lifelike logs and embers - recreating the depth, movement, and authenticity of a real wood-burning fire.



Installation Flexibility

No flues, vents, or consent required – offering complete freedom to install anywhere and integrate seamlessly into any surround material or design.



Effortless Ambiance

This fireplace delivers warmth when needed, or ambiance with flame-only mode – giving you year-round flexibility and effortless control.

LE1000

FIRE BY **escea.**

SPECIFICATIONS

HEAT OUTPUT	51000BTU/hr or 10200BTU/hr
POWER CONSUMPTION	1.5kW @10A 110V ~ 60Hz, or 3.0kW @15A 230V ~ 60Hz
OPERATION	Thermostatic Bluetooth® remote control
APPLIANCE WEIGHT	154lbs
ELECTRICAL CONNECTION ACCESS POINT	Bottom RH side
CLEARANCE TO COMBUSTIBLES	Zero clearance from appliance surfaces
SERVICE ACCESS HATCH	Not Required
CAVITY WALL VENTING	Not Required
CERTIFICATION/COMPLIANCE	UL 2021 and CAN/CSA 60335.2.30
DATA BADGE	Inside appliance, upper left corner

DIMENSIONS

FIREPLACE SIZE	41 7/8" w x 21 1/2" h x 17 1/4" d
CAVITY OPENING	42 5/8" w x 21 7/8" h x 17 3/4" d
VIEWING AREA	39 5/8" w x 16" h
TV CLEARANCE	4" above viewing area


INSTALLATION

The LE1000 is an indoor holographic projection fireplace designed to be built into a false cavity or chase - from standard building materials.


The appliance is to be installed prior to any wall boards or finishes.

For optimal viewing, the LE1000 should be installed 12" off the floor.

Wall boards or finishes can be off any thickness, and any standard building material may be used. If finishes extend beyond the 1/2" viewing area trim, consider the visual impact of the material edge.



LE SERIES - ALL MODELS



Further information and technical documents available via the QR code or escea.com/le-series



LE1250

A generous, linear fireplace, designed for expansive walls and open plan spaces, delivering a bold, continuous wall of flame.

INBUILT HOLOGRAPHIC ELECTRIC FIREPLACE



Unmatched Realism

Holographic technology combined with precision flame-mapping projects dynamic flames, sparks, and flickers onto lifelike logs and embers - recreating the depth, movement, and authenticity of a real wood-burning fire.



Installation Flexibility

No flues, vents, or consent required – offering complete freedom to install anywhere and integrate seamlessly into any surround material or design.



Effortless Ambiance

This fireplace delivers warmth when needed, or ambiance with flame-only mode – giving you year-round flexibility and effortless control.

LE1250

FIRE BY **escea.**

SPECIFICATIONS

HEAT OUTPUT	51000BTU/hr or 10200BTU/hr
POWER CONSUMPTION	1.5kW @10A 110V ~ 60Hz, or 3.0kW @15A 230V ~ 60Hz
OPERATION	Thermostatic Bluetooth® remote control
APPLIANCE WEIGHT	198lbs
ELECTRICAL CONNECTION ACCESS POINT	Bottom RH side
CLEARANCE TO COMBUSTIBLES	Zero clearance from appliance surfaces
SERVICE ACCESS HATCH	Not Required
CAVITY WALL VENTING	Not Required
CERTIFICATION/COMPLIANCE	UL 2021 and CAN/CSA 60335.2.30
DATA BADGE	Inside appliance, upper left corner

DIMENSIONS

FIREPLACE SIZE	51 ¹ / ₁₆ "w x 21 ¹ / ₂ "h x 17 ³ / ₁₆ "d
FRAMED OPENING	52 ¹ / ₂ "w x 21 ⁷ / ₈ "h x 17 ³ / ₄ "d
VIEWING AREA	49 ⁷ / ₁₆ "w x 16"h
TV CLEARANCE	4" above viewing area


INSTALLATION

The LE1250 is an indoor holographic projection fireplace designed to be built into a false cavity - from standard building materials.


The appliance is to be installed prior to any wall linings or finishes.

For optimal viewing, the LE1250 base should be 12" above the floor.

Wall linings or finishes can be of any thickness, and any standard building material may be used. If finishes extend beyond the 14mm viewing area trim, consider the visual impact of the material edge.



LE SERIES - ALL MODELS



Further information and technical documents available via the QR code or escea.com/le1250



LE1550


A dramatic extended linear fireplace stretching wide across the wall – for maximum impact in larger living spaces and open plan interiors.

INBUILT HOLOGRAPHIC ELECTRIC FIREPLACE



Unmatched Realism

Holographic technology combined with precision flame-mapping projects dynamic flames, sparks, and flickers onto lifelike logs and embers - recreating the depth, movement, and authenticity of a real wood-burning fire.



Installation Flexibility

No flues, vents, or consent required – offering complete freedom to install anywhere and integrate seamlessly into any surround material or design.



Effortless Ambiance

This fireplace delivers warmth when needed, or ambiance with flame-only mode – giving you year-round flexibility and effortless control.

LE1550

FIRE BY **escea.**

SPECIFICATIONS

HEAT OUTPUT	51000BTU/hr or 10200BTU/hr
POWER CONSUMPTION	1.5kW @10A 110V ~ 60Hz, or 3.0kW @15A 230V ~ 60Hz
OPERATION	Thermostatic Bluetooth® remote control
APPLIANCE WEIGHT	220lbs
ELECTRICAL CONNECTION ACCESS POINT	Bottom RH side
CLEARANCE TO COMBUSTIBLES	Zero clearance from appliance surfaces
SERVICE ACCESS HATCH	Not Required
CAVITY WALL VENTING	Not Required
CERTIFICATION/COMPLIANCE	UL 2021 and CAN/CSA 60335.2.30
DATA BADGE	Inside appliance, upper left corner

DIMENSIONS

FIREPLACE SIZE	63 ½" w x 21 ½" h x 17 ¼" d
CAVITY OPENING	64 ⅝" w x 21 ⅞" h x 17 ¾" d
VIEWING AREA	61 ¼" w x 16" h
TV CLEARANCE	4" above viewing area


INSTALLATION

The LE1550 is an indoor holographic projection fireplace designed to be built into a false cavity or chase - from standard building materials.


The appliance is to be installed prior to any wall boards or finishes.

For optimal viewing, the LE1550 should be installed 12" off the floor.

Wall boards or finishes can be of any thickness, and any standard building material may be used. If finishes extend beyond the 1/2" viewing area trim, consider the visual impact of the material edge.



LE SERIES - ALL MODELS



Further information and technical documents available via the QR code or escea.com/le-series



LE1750

A striking, ultra-wide fireplaces designed for large-scale interiors, offering a sweeping flame display that anchors even the most expansive spaces.

INBUILT HOLOGRAPHIC ELECTRIC FIREPLACE



Unmatched Realism

Holographic technology combined with precision flame-mapping projects dynamic flames, sparks, and flickers onto lifelike logs and embers - recreating the depth, movement, and authenticity of a real wood-burning fire.



Installation Flexibility

No flues, vents, or consent required – offering complete freedom to install anywhere and integrate seamlessly into any surround material or design.



Effortless Ambience

This fireplace delivers warmth when needed, or ambience with flame-only mode – giving you year-round flexibility and effortless control.

LE1750

FIRE BY **escea.**

SPECIFICATIONS

HEAT OUTPUT	51000BTU/hr or 10200BTU/hr
POWER CONSUMPTION	1.5kW @10A 110V ~ 60Hz, or 3.0kW @15A 230V ~ 60Hz
OPERATION	Thermostatic Bluetooth® remote control
APPLIANCE WEIGHT	220lbs
ELECTRICAL CONNECTION ACCESS POINT	Bottom RH side
CLEARANCE TO COMBUSTIBLES	Zero clearance from appliance surfaces
SERVICE ACCESS HATCH	Not Required
CAVITY WALL VENTING	Not Required
CERTIFICATION/COMPLIANCE	UL 2021 and CAN/CSA 60335.2.30
DATA BADGE	Inside appliance, upper left corner

DIMENSIONS

FIREPLACE SIZE	71 1/32" w x 21 1/2" h x 17 7/32" d
CAVITY OPENING	72 1/8" w x 21 7/8" h x 17 3/4" d
VIEWING AREA	69 7/32" w x 16" h
TV CLEARANCE	4" above viewing area


INSTALLATION

The LE1750 is an indoor holographic projection fireplace designed to be built into a false cavity - from standard building materials.


The appliance is to be installed prior to any wall linings or finishes.

For optimal viewing, the LE1750 should be installed 11 3/8" off the floor.

Wall linings or finishes can be of any thickness, and any standard building material may be used. If finishes extend beyond the 1/8" viewing area trim, consider the visual impact of the material edge.



LE SERIES - ALL MODELS



Further information and technical documents available via the QR code or escea.com/le1750

